



**VINOA**  
COLLECTION

—  
SPECIFICATIONS SHEET  
FOR EACH PRODUCT  
—



# CAVAVIN

WINE CARE SOLUTIONS



## VINOA COLLECTION

SERVICE CELLARS OF MODERN DESIGN WITH  
EXCEPTIONAL QUALITY



- Shelves designed for all bottle formats (750 ml)
- A key lock for the protection of your wines
- Range of size to satisfy all needs
- Warranty 2 years parts & labor, 5 years compressor



SERVICE  
CELLARS



# CAVAVIN

WINE CARE SOLUTIONS

VINOA



**V-024WDZ**



**V-041WDZ**



**V-048WSZ**



**V-050BVC**



**V-87WBVC**

CAPACITY (bottles)	24	41	48	5.0 ft <sup>3</sup>	21 bts + 66 cans (or 42 bts)
NUMBER OF TEMP. ZONES	2	2	1	1	2
TEMPERATURE	5-12°C & 12-20°C 41-54°F & 54-68°F	5-12°C & 12-20°C 41-54°F & 54-68°F	5-20°C 41-68°F	2-10°C 36-50°F	5-20°C & 2-10°C 41-68°F & 39-50°F
DECIBELS	42 dB	43 dB	42 dB	42 dB	43 dB
POWER CONSUMPTION ENERGUIDE	200 kWh/année	245 kWh/année	240 kWh/année	240 kWh/année	240 kWh/année
HEIGHT (INCHES)	34.25"	34.25"	34.25"	34.25"	34.25"
WIDTH (INCHES)	14.96"	23.82"	23.82"	23.82"	23.82"
DEPTH (INCHES)	23.62"	23.62"	23.62"	23.62"	23.62"
WEIGHT (lbs)	86 lbs	116 lbs	111 lbs	98 lbs	113 lbs

VINOA



**V-153WDZ\***



**V-163WSZ\***



**V-265WSZ**



**V-024WDZFG**



**V-041WDZFG**

CAPACITY (bottles)	153	163	265	24	41
NUMBER OF TEMP. ZONES	2	1	1	2	2
TEMPERATURE	5-12°C & 12-20°C 41-54°F & 54-68°F	5-20°C 41-68°F	5-20°C 41-68°F	5-12°C & 12-20°C 41-54°F & 54-68°F	5-20°C & 5-20°C 41-68°F & 41-68°F
DECIBELS	43 dB	42 dB	41 dB	46 dB	46 dB
POWER CONSUMPTION ENERGUIDE	332 kWh/année	315 kWh/année	300 kWh/année	200 kWh/année	245 kWh/année
HEIGHT (INCHES)	67.72"	67.72"	78.74"	34.25"	34.25"
WIDTH (INCHES)	23.43"	23.43"	29.53"	14.96"	23.82"
DEPTH (INCHES)	27.95"	27.95"	27.95"	23.62"	23.62"
WEIGHT (lbs)	221 lbs	220 lbs	318 lbs	89.3 lbs	103.6 lbs

\*KPA-VINOA : ASSEMBLY KIT 2 UNITS (OPTIONAL)  
Long kickplate 47" + screws and T-strip molding



## V-024WDZ

24 BOTTLES

### VINOA COLLECTION



Capacity up to 24 bottles (750 ml)

Built-in or freestanding installation

**Reversible** glass door, grey-tinted and anti-uv with seamless stainless steel frame

2 temperature zones (For red & white wines)

- Top - Whites : 5-12°C (41-54°F)

- Bottom - Reds : 12-20°C (54-68°F)

One-touch **LED** digital controls located inside

Low emissivity lighting with automatic or continuous **LED**

Full extension sliding wooden shelves with stainless steel fronts, suitable for all sizes of 750 ml bottles

Security lock with tubular handle

Stainless recessed kick plate

Automatic defrost & generated hygrometry

Quiet compressor (42 dB)

Superior energy efficiency and environmentally friendly (Refrigerant gas R-600a)

Activated charcoal filter to eliminate odours

2-years warranty on parts and labor, 5-years warranty on compressor

UL/CSA/ETL approved



CAPACITY

Up to  
24 bottles



NUMBER OF  
TEMPERATURE  
ZONES

2



TEMPERATURE

5-12 °C  
41-54 °F  
&  
12-20 °C  
54-68 °F



DECIBELS

42 dB



REVERSIBLE  
DOOR

Yes



DIMENSIONS

W 14.96"  
D 23.62"  
H 34.25"



WEIGHT

86 lbs



SHIPPING  
WEIGHT

91.5 lbs



SHIPPING  
DIMENSIONS

W 16.93"  
D 26.77"  
H 36.02"

# CAVAVIN

WINE CARE SOLUTIONS



SERVICE  
CELLARS

## V-041WDZ

41 BOTTLES

### VINOA COLLECTION



Capacity up to 41 bottles (750 ml)

Built-in or freestanding installation

**Reversible** glass door, grey-tinted and anti-uv with seamless stainless steel frame

2 temperature zones

- Top : 5-20°C (41-68°F)

- Bottom : 5-20°C (41-68°F)

One-touch **LED** digital controls located inside

Low emissivity lighting with automatic or continuous **LED**

Full extension sliding wooden shelves with stainless steel fronts, suitable for all sizes of 750 ml bottles

Security lock with tubular handle

Stainless recessed kick plate

Automatic defrost & generated hygrometry

Quiet compressor (43 dB)

Superior energy efficiency and environmentally friendly (Refrigerant gas R-600a)

Activated charcoal filter to eliminate odours

2-years warranty on parts and labor, 5-years warranty on compressor

UL/CSA/ETL approved



CAPACITY

Up to  
41 bottles



NUMBER OF  
TEMPERATURE  
ZONES

2



TEMPERATURE

5-20 °C  
41-68 °F  
&  
5-20 °C  
41-68 °F



DECIBELS

43 dB



REVERSIBLE  
DOOR

Yes



DIMENSIONS

W 23.82"  
D 23.62"  
H 34.25"



WEIGHT

116 lbs



SHIPPING  
WEIGHT

124 lbs



SHIPPING  
DIMENSIONS

W 25.79"  
D 26.77"  
H 36.02"



# V-048WSZ

48 BOTTLES

## VINOA COLLECTION



Capacity up to 48 bottles (750 ml)

Built-in or freestanding installation

**Reversible** glass door, grey-tinted and anti-uv with seamless stainless steel frame

A single temperature zone that ranges from 5-20°C (41-68°F)

One-touch **LED** digital controls located inside

Low emissivity lighting with automatic or continuous **LED**

Full extension sliding wooden shelves with stainless steel fronts, suitable for all sizes of 750 ml bottles

Security lock with tubular handle

Stainless recessed kick plate

Automatic defrost & generated hygrometry

Quiet compressor (42 dB)

Activated charcoal filter to eliminate odours

Superior energy efficiency and environmentally friendly (Refrigerant gas R-600a)

2-years warranty on parts and labor, 5-years warranty on compressor

UL/CSA/ETL approved



CAPACITY

Up to  
48 bottles



NUMBER OF  
TEMPERATURE  
ZONES

1



TEMPERATURE

5-20 °C  
41-68 °F



DECIBELS

42 dB



REVERSIBLE  
DOOR

Yes



DIMENSIONS

W 23.82"  
D 23.62"  
H 34.25"



WEIGHT

111 lbs



SHIPPING  
WEIGHT

123 lbs



SHIPPING  
DIMENSIONS

W 25.79"  
D 26.77"  
H 36.02"

# CAVAVIN

WINE CARE SOLUTIONS



SERVICE  
CELLARS

## V-050BVC

126 CANS +  
6 BOTTLES

### VINOA COLLECTION

Capacity up to 126 cans and 6 bottles

Built-in or freestanding installation

**Reversible** glass door, grey-tinted and anti-uv with seamless stainless steel frame

A single temperature zone that ranges from 2-10 °C (36-50°F)

One-touch **LED** digital controls located inside

Low emissivity lighting with automatic or continuous **LED**

3 Black wire shelves 20% extensible with stainless steel fronts, adjustable to better accommodate beverages

Security lock with tubular handle

Stainless recessed kick plate

Automatic defrost & generated hygrometry

Quiet compressor (42 dB)

Superior energy efficiency and environmentally friendly (Refrigerant gas R-600a)

Activated charcoal filter to eliminate odours

2-years warranty on parts and labor and 5-years warranty on compressor

UL/CSA/ETL approved



CAPACITY

Up to  
126 cans +  
6 bottles



NUMBER OF  
TEMPERATURE  
ZONES

1



TEMPERATURE

2-10 °C  
36-50 °F



DECIBELS

42 dB



REVERSIBLE  
DOOR

Yes



DIMENSIONS

W 23.82"  
D 23.62"  
H 34.25"



WEIGHT

98 lbs



SHIPPING  
WEIGHT

107 lbs



SHIPPING  
DIMENSIONS

W 25.79"  
D 26.77"  
H 36.02"



# CAVAVIN

WINE CARE SOLUTIONS



SERVICE  
CELLARS

## V-87WBVC

21 BOTTLES + 66 CANS  
or 42 BOTTLES

### VINOA COLLECTION



Capacity up to 21 wine bottles and 66 cans (or 42 wine bottles)

Built-in or freestanding installation

Glass door, grey-tinted and anti-uv with stainless steel frame

2 temperature zones (For wines & beverages)

-Left - Wines : 5-20°C (41-68°F)

-Right - Beverages (or white wine) : 2-10°C (36-50°F)

One-touch **LED** digital controls located inside

Low emissivity lighting with automatic or continuous **LED**

Left - sliding wooden wine shelves with stainless steel fronts

Right - sliding shelves with stainless steel fronts, including 3 removable glass shelves for cans and 6 wooden shelves for wine (to turn the unit into a 42-bottle wine cellar)

Security locks with tubular handle

Automatic defrost & generated hygrometry

Quiet compressor (43 dB)

Activated charcoal filter to eliminate odours

Superior energy efficiency and environmentally friendly (Refrigerant gas R-600a)

2-years warranty on parts and labor, 5-years warranty on compressor

UL/CSA/ETL approved



CAPACITY

Up to  
21 bottles  
+ 66 cans  
OR  
42 bottles



NUMBER OF  
TEMPERATURE  
ZONES

2



TEMPERATURE

5-20 °C  
41-68 °F  
&  
2-10 °C  
36-50 °F



DECIBELS

43 dB



REVERSIBLE  
DOOR

N/A



DIMENSIONS

W 23.82 "  
D 23.62 "  
H 34.25 "



WEIGHT

113 lbs



SHIPPING  
WEIGHT

121 lbs



SHIPPING  
DIMENSIONS

W 25.79 "  
D 26.77 "  
H 36.02 "



# CAVAVIN

WINE CARE SOLUTIONS



## V-153WDZ

153 BOTTLES

### VINOA COLLECTION

Capacity up to 153 bottles (750 ml)

Built-in or freestanding installation

**Reversible** glass door, grey-tinted and anti-uv with seamless stainless steel frame

2 temperature zones (For red & white wines)

-Top - Whites : 5-12°C (41-54°F)

-Bottom - Reds : 12-20°C (54-68°F)

One-touch **LED** digital controls located inside

Low emissivity lighting with automatic or continuous **LED**

Full extension sliding wooden shelves with stainless steel fronts, suitable for all sizes of 750 ml bottles

Security lock with tubular handle

Automatic defrost & generated hygrometry

Quiet compressor (43 dB)

Superior energy efficiency and environmentally friendly (Refrigerant gas R-600a)

Activated charcoal filter to eliminate odours

2-years warranty on parts and labor, 5-years warranty on compressor

UL/CSA/ETL approved



CAPACITY

Up to  
153 bottles



NUMBER OF  
TEMPERATURE  
ZONES

2



TEMPERATURE

5-12 °C  
41-54 °F  
&  
12-20 °C  
54-68 °F



DECIBELS

43 dB



REVERSIBLE  
DOOR

Yes



DIMENSIONS

W 23.43"  
D 27.95"  
H 67.72"



WEIGHT

221 lbs



SHIPPING  
WEIGHT

250 lbs



SHIPPING  
DIMENSIONS

W 25.39"  
D 30.59"  
H 73.62"



## V-163WSZ

163 BOTTLES

### VINOA COLLECTION

Capacity up to 163 bottles (750 ml)

Built-in or freestanding installation

**Reversible** glass door, grey-tinted and anti-uv with seamless stainless steel frame

A single temperature zone that ranges from 5-20°C (41-68°F)

One-touch **LED** digital controls located inside

Low emissivity lighting with automatic or continuous **LED**

Full extension sliding wooden shelves with stainless steel fronts, suitable for all sizes of 750 ml bottles

Security lock with tubular handle

Automatic defrost & generated hygrometry

Quiet compressor (42 dB)

Superior energy efficiency and environmentally friendly (Refrigerant gas R-600a)

Activated charcoal filter to eliminate odours

2-years warranty on parts and labor, 5-years warranty on compressor

UL/CSA/ETL approved



CAPACITY

Up to  
163 bottles



NUMBER OF  
TEMPERATURE  
ZONES

1



TEMPERATURE

5-20 °C  
41-68 °F



DECIBELS

42 dB



REVERSIBLE  
DOOR

Yes



DIMENSIONS

W 23.43"  
D 27.95"  
H 67.72"



WEIGHT

220 lbs



SHIPPING  
WEIGHT

248 lbs



SHIPPING  
DIMENSIONS

W 25.39"  
D 30.59"  
H 73.62"





## V-265WSZ

265 BOTTLES

### COLLECTION VINOVA

Capacity up to 265 bottles (750 ml)

#### Freestanding installation only

Grey-tinted and anti-uv glass door with seamless stainless steel frame

A single temperature zone that ranges from 5-20°C (41-68°F)

One-touch **LED** digital controls located inside

Low emissivity lighting with automatic or continuous **LED**

Full extension wooden sliding shelves with stainless steel fronts, suitable for all sizes of 750 ml bottles

Security lock

Automatic defrost & generated hygrometry

Quiet compressor (41 dB)

Superior energy efficiency and environmentally friendly (Refrigerant gas R-600a)

Activated charcoal filter to eliminate odours

2-years warranty on parts and labor, 5-years warranty on compressor

UL/CSA/ETL approved



CAPACITY

Up to  
265 bottles



NUMBER OF  
TEMPERATURE  
ZONES

1



TEMPERATURE

5-20 °C  
41-68 °F



DECIBELS

41 dB



REVERSIBLE  
DOOR

No



DIMENSIONS

W 29.53"  
D 27.95"  
H 78.74"



WEIGHT

318 lbs



SHIPPING  
WEIGHT

359 lbs



SHIPPING  
DIMENSIONS

W 30.71"  
D 31.1"  
H 84.65"

# CAVAVIN

WINE CARE SOLUTIONS



SERVICE  
CELLARS

## V-024WDZFG

24 BOTTLES

### VINOA COLLECTION



Capacity up to 24 bottles (750 ml)

Built-in or freestanding installation

Handleless **full glass door**, grey-tinted and anti-uv, with **push-to-open** system

2 temperature zones (For red & white wines)

- Top - Whites : 5-12°C (41-54°F)

- Bottom - Reds : 12-20°C (54-68°F)

One-touch **LED** digital controls located inside

Low emissivity lighting with automatic or continuous **LED**

Full extension sliding wooden shelves, suitable for all sizes of 750 ml bottles

Stainless recessed kick plate

Automatic defrost & generated hygrometry

Quiet compressor (46 dB)

Superior energy efficiency and environmentally friendly (Refrigerant gas R-600a)

Activated charcoal filter to eliminate odours

2-years warranty on parts and labor, 5-years warranty on compressor

UL/CSA/ETL approved



CAPACITY

Up to  
24 bottles



NUMBER OF  
TEMPERATURE  
ZONES

2



TEMPERATURE

5-12 °C  
41-54 °F  
&  
12-20 °C  
54-68 °F



DECIBELS

46 dB



REVERSIBLE  
DOOR

No



DIMENSIONS

W 14.96"  
D 23.62"  
H 34.25"



WEIGHT

89.3 lbs



SHIPPING  
WEIGHT

97 lbs



SHIPPING  
DIMENSIONS

W 16.93"  
D 26.77"  
H 36.02"



# CAVAVIN

WINE CARE SOLUTIONS



SERVICE  
CELLARS

## V-041WDZFG

41 BOTTLES

### VINOA COLLECTION

Capacity up to 41 bottles (750 ml)

Built-in or freestanding installation

Handleless **full glass door**, grey-tinted and anti-uv, with **push-to-open** system

2 temperature zones

- Top : 5-20°C (41-68°F)

- Bottom : 5-20°C (41-68°F)

One-touch **LED** digital controls located inside

Low emissivity lighting with automatic or continuous **LED**

Full extension sliding wooden shelves, suitable for all sizes of 750 ml bottles

Stainless recessed kick plate

Automatic defrost & generated hygrometry

Quiet compressor (46 dB)

Superior energy efficiency and environmentally friendly (Refrigerant gas R-600a)

Activated charcoal filter to eliminate odours

2-years warranty on parts and labor, 5-years warranty on compressor

UL/CSA/ETL approved



CAPACITY

Up to  
41 bottles



NUMBER OF  
TEMPERATURE  
ZONES

2



TEMPERATURE

5-20 °C  
41-68 °F  
&  
5-20 °C  
41-68 °F



DECIBELS

46 dB



REVERSIBLE  
DOOR

No



DIMENSIONS

W 23.82"  
D 23.62"  
H 34.25"



WEIGHT

103.6 lbs



SHIPPING  
WEIGHT

110.2 lbs



SHIPPING  
DIMENSIONS

W 25.79"  
D 26.77"  
H 36.02"