



Nova Pro 8



Classica Plus 8



Classica 9



Tender 9



Diamante 10



Dama 10



Bella 11



Stilo 11





Tratto 12



Glassy 12





Dama Isola 13



Bella Isola 13



Tratto Isola 14



Glassy Isola 14



Stratus Isola White 15



Stratus Isola Stainless 15





Inca Pro Plus 16



Inca SD 16



Inca In-Light 17



Inca Lux 17



Inca HC 18



Inca Smart 18





Camino Pro 19



Maestrale 18 19





Maestrale 10 20



Ostro 20



Levante II Plus 21



Levante II 21



Levante I 22



Cristal SS 22



Cristal 24 SS 23



Scirocco Plus 23



Scirocco Lux 24





Zoom 24



Chloè 25



Cocktail 25



Cylindra 26



Cylindra Isola 26

A vision of global reach.

A VISION OF IMPROVING AIR.

Since 1955 at Faber we have been moving air and improving air quality in homes. Everyday we strive to improve air technology to breathe better in the home and especially the kitchen. We invented the European kitchen hood and we make them better every day. We strive to provide our customers with the ultimate in performance, quality and comfort.

INVESTING IN THE WORLD

Always growing, to serve more people.

THINKING LONG TERM

Total competence: automation, robotics, IT, total quality.

INNOVATING CONTINUOUSLY

Engineering research, advanced solutions, living benefits.

DESIGNING THE FUTURE

Ergonomics, design, functionality, comfort, style and wellbeing for the home.



COMMERCIAL OFFICE

Boston - U.S.A Chambly - FRANCE Istanbul - TURKEY Mosca - RUSSIA Pune - INDIA

Sassoferrato - ITALY Manisa - TURKEY Villedieu-les-Poêles - FRANCE Byske - SWEDEN Kaluga - RUSSIA Pune - INDIA San Luis - ARGENTINA San Luis Potosí - MEXICO

Faber Technologies



Allows for longer duct runs.



Operates hood functions with an optional ADA compliant wireless remote.



Allows ventilation to be vented to the top or back. This eliminates the need for extra ducting.



An indicator on the hood signals when to wash filters.



Turns on the hood for 10 minutes automatically once every hour to refresh your home.



Turns on at the highest speed for 10 minutes.



Improves efficiency and reduces air noise.



Automatically turns the fan off after a set time (varies by the hood).



Improves efficiency and reduces air noise.



The hood moves down when needed and up when you're done cooking with a push of a button.



Permanently sets the hood to a lower CFM to meet local codes.



Makes installing and leveling the hood easier.



Energy efficient and cool to the touch LED lighting.



Metal impellers and metal housing around the motor.



A lower intensity light setting.



Spring loaded installation clips to make installation easier.




Automatically turns the hood on above a certain temperature.



Island chimneys with no vertical seams for a clean look and easy install.

Faber's new Variable Air Management System



Adjusting CFM's to meet local building codes is easy with the new Variable Air Management (VAM) feature on certain Faber models.

VAM aids in helping the installer set the speed permanently to a lower CFM based on local make up air codes. CFM (Cubic feet per minute) is the measurement of how quickly air moves. With range hoods there are building codes that limit the maximum amount of CFM a hood can output without installation of equipment to equalize pressure in the home. Our exclusive VAM technology allows you to adjust your hood to the most common CFM levels: 295, 395 or 600 class performance.

VAM is pre-installed in 13 models and with a few simple pushes of the control buttons the hood is programmed and permanently set to the CFM level for your market.

Note: Always check local make up air codes.





NOVA PRO

CLASSICA PLUS















(optional)

← _	l
00	
VAM	l











FEATURES

Color / Material	Stainless steel
Motor Class	600, 395, 295 CFM
Controls	4 Speed Electronic
Lighting	LED
Grease Filter	Stainless Steel Baffle
Width	30", 36"
Depth	21 9/16"
Ducting	Ducted / Ductless
Pro Blower	Yes
VAM	Yes
Vari-Duct	Yes
ADA Remote Option	Yes
Model Numbers	NOPR30SSV

NOPR36SSV

Color / Material	Stainless steel
Motor Class	600, 395, 295 CFM
Controls	4 Speed Electronic
Lighting	LED
Grease Filter	Mesh
Width	30", 36"
Depth	18 1/2"
Ducting	Ducted / Ductless
VAM	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Model Numbers	CLPL30SSV CLPL36SSV





CLASSICA





FEATURES Color / Material Stainless steel 600 CFM **Motor Class Controls** 4 Speed Electronic Lighting Halogen **Grease Filter** Mesh Width 30", 36" Depth 19" Ducted / Ductless Ducting **Intensive Speed** Yes CLAS30SS **Model Numbers** CLAS36SS

TENDER













FEATURES

Color / Material	Stainless steel Black Stainless Steel
Motor Class	600, 395, 295 CFM
Controls	4 Speed Electronic
Lighting	LED
Grease Filter	Mesh
Width	30", 36"
Depth	19 5/8"
Ducting	Ducted / Ductless
VAM	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Model Numbers	TEND30SSV TEND36SSV TEND30BSV TEND36BSV





DIAMANTE



























ı	FEATURES

Color / Material	Stainless steel
Color / Flaterial	Starriess steer
Motor Class	600 CFM
Controls	4 Speed Electronic
Lighting	Halogen 2 Level
Grease Filter	Stainless Steel Baffle
Width	30", 36", 48"
Depth	22"
Ducting	Ducted / Ductless
Pro Blower	Yes
Intensive Speed	Yes
Delay Auto Shut Off	Yes
Model Numbers	DIAM30SS DIAM36SS

DIAM48SS

Color / Material	Stainless steel
Motor Class	600, 395, 295 CFM
Controls	4 Speed Electronic
Lighting	LED
Grease Filter	Stainless Steel Baffle
Width	30", 36"
Depth	20"
Ducting	Ducted / Ductless
Intensive Speed	Yes
VAM	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Model Numbers	DAMA30SSV DAMA36SSV





BELLA















(optional)

STILO













F	E	ΑT	U	R	E	5
_						

Color / Material	Stainless steel
Motor Class	600 CFM
Controls	4 Speed Electronic
Lighting	LED
Grease Filter	Stainless Steel Mesh
Width	30", 36"
Depth	21 1/4"
Ducting	Ducted / Ductless
Pro Blower	Yes
Intensive Speed	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Model Numbers	BELA30SS600-B BELA36SS600-B

I EXTIGICES	
Color / Material	Stainless steel Black Steel
Motor Class	600, 395, 295 CFM
Controls	4 Speed Electronic
Lighting	LED
Grease Filter	Mesh
Width	24", 30", 36", 48"
Depth	18 1/2"
Ducting	Ducted / Ductless
VAM	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Model Numbers	STIL24SSV STIL30SSV STIL36SSV STIL48SSV STIL30BSV STIL36BSV





TRATTO

















FEATURES	
Color / Material	Stainless Steel & Glass
Motor Class	600, 395, 295 CFM
Controls	4 Speed Electronic
Lighting	LED
Grease Filter	Mesh
Width	30", 36"
Depth	18 1/2"
Ducting	Ducted / Ductless
Intensive Speed	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Model Numbers	TRAT30SSV TRAT36SSV













FEATURES

FEATURES	
Color / Material	Stainless Steel & Glass
Motor Class	600 OR 300 CFM
Controls	4 Speed Electronic
Lighting	LED 2 Level
Grease Filter	Mesh
Width	30", 36"
Depth	18 1/2"
Ducting	Ducted / Ductless
VAM	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Model Numbers	GLAS30SS600-B GLAS36SS600-B GLAS30SS300-B GLAS36SS300-B





DAMA ISOLA

BELLA ISOLA















(optional)

PRO	













Color / Material	Stainless steel
Motor Class	600, 395, 295 CFM
Controls	4 Speed Electronic
Lighting	LED
Grease Filter	Baffle filters
Width	36", 42"
Depth	27 1/2"
Ducting	Ducted / Ductless
Intensive Speed	Yes
VAM	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Seamless Chimney	Yes
Model Numbers	DAMAIS36SSV DAMAIS42SSV

Color / Material	Stainless steel
Motor Class	600 CFM
Controls	4 Speed Electronic
Lighting	LED 2 LEVEL
Grease Filter	Stainless Steel Mesh
Width	36", 42", 48"
Depth	26 5/8"
Ducting	Ducted / Ductless
Pro Blower	Yes
Intensive Speed	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Seamless Chimney	Yes
Model Numbers	BELAIS36SS600-B BELAIS42SS600-B BELAIS48SS600





TRATTO ISOLA

















ĊO.	
VAM	















Color / Material	Stainless Steel & Glass
Motor Class	600, 395, 295 CFM
Controls	4 Speed Electronic
Lighting	LED
Grease Filter	Mesh
Width	36"
Depth	25 1/2"
Ducting	Ducted / Ductless
Intensive Speed	Yes
VAM	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Seamless Chimney	Yes
Model Numbers	TRATIS36SSV

FEATURES	
Color / Material	Stainless Steel & Glass
Motor Class	600, 395, 295 CFM
Controls	4 Speed Electronic
Lighting	LED
Grease Filter	Mesh
Width	36"
Depth	27 9/16"
Ducting	Ducted / Ductless
Intensive Speed	Yes
VAM	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Seamless Chimney	Yes
Model Numbers	GLASIS36SSV





STRATUS ISOLA WHITE



















FEATURES	
Color / Material	White Glass
Motor Class	5 Options
Controls	Electronic Soft Touch
Lighting	LED 2 LEVEL
Grease Filter	Mesh
Width	36", 48"
Depth	19 11/16" or 27 9/16"
Ducting	Ducted / Ductless
ADA Remote	Yes - Remote Included
Flexible Venting	Yes - Four Way
Model Numbers	STRTIS36WHNB STRTIS48WHNB
Blower Options	IB300 IB400 IB600 RB900 RB1200

STRATUS ISOLA STAINLESS











FEATURES





Color / Material	Stainless Steel
Motor Class	5 Options
Controls	Electronic Soft Touch
Lighting	LED 2 LEVEL
Grease Filter	Mesh
Width	36", 48"
Depth	19 11/16" or 27 9/16"
Ducting	Ducted / Ductless
ADA Remote	Yes - Remote Included
Flexible Venting	Yes - Four Way
Model Numbers	STRTIS36SSNB STRTIS48SSNB
Blower Options	IB300 IB400

IB600 RB900 RB1200





INCA PRO PLUS INCA SD









(ontional

IIICA 3D















FEATURES

FEATURES	
Color / Material	Stainless steel
Motor Class	6 Options
Controls	Variable Speed Dial
Lighting	LED
Grease Filter	Stainless Steel Baffle
Width	30", 36", 42", 48"
Depth	19 3/4" or 22 3/4"
Ducting	Ducted / Recirculating
Easy Snap Install	Yes
Model Numbers	INPL3019SSNB-B INPL3619SSNB-B INPL4219SSNB-B INPL4819SSNB-B INPL3622SSNB-B INPL4822SSNB-B
Blower Options	IB300 IB400 IB600 IB1200 RB900

RB1200

Stainless steel
600, 395, 295 CFM
4 Speed Electronic
LED
Stainless Steel Baffle
29", 35"
13 3/4"
Ducted / Recirculating
Yes
Yes
Yes - Remote Included
Yes
Yes
Yes
INSD29SSV INSD35SSV





INCA IN-LIGHT INCA LUX

















	O
П	_













Color / Material	Stainless steel
Motor Class	600 ,395 , 295 CFM
Controls	4 Speed Electronic
Lighting	LED Light bar
Grease Filter	Mesh
Width	28"
Depth	11 13/16"
Ducting	Ducted / Recirculating
Intensive Speed	Yes
VAM	Yes
Delay Auto Shut Off	Yes
ADA Remote	Yes - Remote Included
Easy Snap Install	Yes
Model Numbers	INLT28SSV

EATURES			
---------	--	--	--

Color / Material	Stainless steel
Motor Class	600, 395, 295 CFM
Controls	4 Speed Electronic
Lighting	LED
Grease Filter	Mesh
Width	21", 28", 35"
Depth	11 13/16"
Ducting	Ducted / Recirculating
Intensive Speed	Yes
VAM	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Easy Snap Install	Yes
Model Numbers	INLX21SSV INLX28SSV INLX35SSV





INCA HC



















(optional





Color / Material	Stainless steel
Motor Class	600, 395, 295 CFM
Controls	4 Speed Electronic
Lighting	LED
Grease Filter	Stainless Steel Mesh
Width	29", 35"
Depth	13 3/4"
Ducting	Ducted / Recirculating
Intensive Speed	Yes
VAM	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Easy Snap Install	Yes
Model Numbers	INHC29SSV INHC35SSV

FEATURES	
Color / Material	Stainless Steel or Gray
Motor Class	250 CFM
Controls (SS)	4 Speed Electronic
Controls (GR)	3 Speed Electronic
Lighting	Halogen
Grease Filter	Mesh
Width	21"(GR) or 28" (GR/SS)
Depth	11 3/16"
Ducting	Ducted / Recirculating
Intensive Speed	Yes - SS Version
Easy Snap Install	Yes
Model Numbers	INSM28SS INSM24GR250-B INSM28GR250-B





CAMINO PRO MAESTRALE 18













Л	
	▶ ▶
VARI	
DUCT	





FEATURES	
Color / Material	Stainless steel
Motor Class	600 or 1200 CFM
Controls	4 Speed Electronic Rotary
Lighting	LED 2 Level
Grease Filter	Stainless Steel Baffle
Width	36", 48"
Depth	24"
Ducting	Ducted / Recirculating
Intensive Speed	Yes
Delay Auto Shut Off	Yes
Pro Blower	Yes
Self Start	Yes
Model Numbers	CAPR36SS600 CAPR36SS1200 CAPR48SS1200

FEATURES	
Color / Material	Stainless steel
Motor Class	600 or 1200 CFM
Controls	3 Speed Slide
Lighting	LED
Grease Filter	Stainless Steel Baffle
Width	30", 36", 42", 48"
Depth	25"
Ducting	Ducted / Ductless
Intensive Speed	Yes
Pro Blower	Yes
Vari-Duct	Yes
Model Numbers	MAES3018SS600-B MAES3618SS600-B MAES3618SS1200-B MAES4218SS1200-B MAES4818SS1200-B





MAESTRALE 10 OSTRO















FEATURES	
Color / Material	Stainless steel
Motor Class	600 CFM
Controls	3 Speed Slide
Lighting	LED
Grease Filter	Stainless Steel Mesh
Width	30", 36", 42"
Depth	23"
Ducting	Ducted / Ductless
Pro Blower	Yes
Vari-Duct	Yes
Model Numbers	MAES3010SS600-B MAES3610SS600-B MAES4210SS600-B

FEATURES		
Color / Material	Stainless steel	
Motor Class	400 CFM	
Controls	4 Speed Electronic	
Lighting	Halogen	
Grease Filter	Stainless Steel Baffle	
Width	30", 36"	
Depth	23"	
Ducting	Ducted / Ductless	
Intensive Speed	Yes	
Vari-Duct	Yes	
Model Numbers	OSTR30SS400 OSTR36SS400	





LEVANTE II PLUS LEVANTE II























Color / Material	Stainless steel
Motor Class	400 CFM
Controls	4 Speed Electronic
Lighting	LED
Grease Filter	Stainless Steel Mesh
Width	30", 36"
Depth	20"
Ducting	Ducted
Intensive Speed	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Vari-Duct	Yes
Model Numbers	LEVL30SS400 LEVL36SS400

Color / Material	Stainless steel
Motor Class	400 CFM
Controls	4 Speed Electronic
Lighting	Halogen
Grease Filter	Stainless Steel Mesh
Width	30", 36"
Depth	20"
Ducting	Ducted / Ductless
Intensive Speed	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Vari-Duct	Yes
Model Numbers	LEVT30SS400-B LEVT36SS400-B





LEVANTE I

CRISTAL SS














FEATURES		
Color / Material	Stainless steel, White, or Black	
Motor Class	300 CFM	
Controls	3 Speed Push Button	
Lighting	Halogen	
Grease Filter	Mesh	
Width	24", 30", 36"	
Depth	20"	
Ducting	Ducted / Ductless	
Vari-Duct	Yes	
Model Numbers	LEVA24SS300-B LEVA24WH300-B LEVA30BK300-B LEVA30SS300-B LEVA30WH300-B LEVA36BK300-B	

FEATURES	
Color / Material	Stainless steel
Motor Class	300, 400 or 600 CFM
Controls	3 Speed Slide
Lighting	LED
Grease Filter	Mesh
Width	30", 36"
Depth	18"
Ducting	Ducted / Recirculating
Easy Snap Install	Yes
Vari-Duct	Yes
Model Numbers	CRIS30SS300 CRIS36SS300 CRIS30SS400 CRIS36SS400 CRIS30SS600 CRIS36SS600

LEVA36SS300-B LEVA36WH300-B





CRISTAL 24 SS SCIROCCO PLUS













FEATURES	
Color / Material	Stainless steel
Motor Class	300 CFM
Controls	3 Speed Slide
Lighting	LED
Grease Filter	Mesh
Width	24"
Depth	17 3/4"
Ducting	Ducted / Recirculating
Easy Snap Install	Yes
Model Numbers	CRIS24SS300

FEATURES	
Color / Material	Stainless steel
Motor Class	3 Options
Controls	Variable Speed Slide
Lighting	N/A
Grease Filter	Stainless Steel / Mesh
Width	30", 36"
Depth	2 1/8" plus 10" Motor
Ducting	Ducted / Ductless
Pro Blower	Yes
Model Numbers	SCIR3014SSNB-B SCIR3614SSNB-B
Blower Options	IBDD600-B RB900 RB1200





SCIROCCO LUX ZOOM

































	FEATU	RES
ľ		

Color / Material	Black or Gray Glass
Motor Class	3 Options
Controls	4 Speed Electronic
Lighting	LED 2 LEVEL
Grease Filter	Mesh
Width	30", 36"
Depth	4 3/4" plus 10" Motor
Ducting	Ducted / Ductless
Intensive Speed	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Pro Blower	Yes
Model Numbers	SCLX3015BKNB-B SCLX3615BKNB-B SCLX3015SSNB-B SCLX3615SSNB-B

FEATURES

Color / Material	Stainless
Motor Class	400 CFM
Controls	4 Speed Electronic
Lighting	LED
Grease Filter	Mesh
Width	16"
Up/Down Motion	Yes
Ducting	Ductless Only
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
Up and Down Motion	Yes
Lamp Shade Options	White Glass, or SS
Model Numbers	ZOOMIL16SS400 (lamp shade ready)
	ZOOMIS16SS400-B

(Zoom cylinder only)

FABER - INTEGRATED HOODS / ICONIC / 24

IBDD600-B RB900 - RB1200

Blower Options





CHLOÈ















FABERONLINE.COM



(optional)

١		ı
١	**	ı
١	VARI	ı
1	DUCT	ı











3

Color / Material	Black / Glass
Motor Class	300 CFM
Controls	Electronic Soft Touch
Lighting	LED 2 Level
Grease Filter	Mesh
Width	31", 36"
Depth	13 5/16"
Ducting	Ducted / Ductless
Intensive Speed	Yes
Delay Auto Shut Off	Yes
Vari-Duct	Yes
Model Numbers	CTAL31BK300-B CTAL36BK300-B

FEATURES

Color / Material	Black or Gray
Motor Class	600 CFM
Controls	4 Speed Electronic
Lighting	LED Light Bar
Grease Filter	Mesh
Width	28", 36"
Ducting	Ducted / Ductless
Vari-Duct	Yes
Intensive Speed	Yes
ADA Remote Option	Yes
Model Numbers	CHLO28BK600 CHLO36BK600

FABER - ICONIC / 25





CYLINDRA











FFATURES





FEATURES	
Color / Material	Stainless steel
Motor Class	600 CFM
Controls	4 Speed Electronic
Lighting	Halogen 2 Level
Grease Filter	Mesh
Width	15"
Depth	14 9/16"
Ducting	Ducted / Ductless
Pro Blower	Yes
Intensive Speed	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
24 Hour Mode	Yes
Model Numbers	CYLN15SS

CYLINDRA ISOLA











FEATURES





- ZXI GKZG	
Color / Material	Stainless steel
Motor Class	600 CFM
Controls	4 Speed Electronic
Lighting	Halogen 2 Level
Grease Filter	Mesh
Width	15"
Depth	14 9/16"
Ducting	Ducted / Ductless
Pro Blower	Yes
Intensive Speed	Yes
Delay Auto Shut Off	Yes
ADA Remote Option	Yes
24 Hour Mode	Yes
Model Numbers	CYLNIS15SS

FABER - ICONIC / 26 FABERONLINE.COM

Faber Innovations

1955

Faber Plast is founded.



1958

The first Plexiglas hood.



1976

FL12 e FL15 The first pull-out hoods.



1986

NOVA The first chimney hood.



1995

AXIA The first T-shape hood.



2004

MATRIX The first hood that hangs like a picture.



2010

F-LIGHT GENERATION The first chandelier hoods.



2014

SKYLIFT
The first retractable hood built into the ceiling.



2016

TALÌKA
The first totally vertical hood.



2018


F-LIGHT & AIRLANE TECHNOLOGY The first chandelier hoods, ducted version without duct. faberonline.com











FABER USA and CANADA 2 Cabot Road - Hudson, MA 01749 - (508) 358-5353